



75Cr1 Spring Steel

Hardened & Tempered

75CR1 spring steel sheet

75CR1 spring steel stockholders and suppliers, delivering throughout the UK.

75CR1 is a carbon chromium spring steel with an average content of 0.75% carbon. West Yorkshire Steel are 75Cr1 hardened and tempered spring steel suppliers and stockholders of sheet.

Related Specifications

1.2003

Spring steel grades we supply

[CS70](#) | [CS80](#) | [CS95](#) | [CS100](#)

[EN42](#) | [EN43](#) | [EN47](#) | [301](#) | [75Cr1](#)

Form of Supply

West Yorkshire Steel supply 75Cr1 hardened and tempered spring steel sheet.



■ Sheet

Contact our experienced sales team who will assist you with your spring steel enquiry.

Applications

75CR1 is commonly used widely for a variety of applications including cutting saws, clutches, agricultural tools, knives, doctor blades, saw blades, shims, washers.

Analysis

Carbon	0.70-0.80%	Silicon	0.25-0.40%
Manganese	0.65-0.80%	Chromium	0.30-0.40%
Sulphur	0.01% max	Phosphorous	0.0025% max

Welding

We recommend you contact your welding consumables supplier who should provide you full assistance and information on welding 75CR1 steel.

Certification

Spring steel 75CR1 grade is available with a certificate of conformity or cast and analysis certification, please request when placing any orders.

Quality Assured Supply

75CR1 spring steel is supplied in accordance with our ISO 9001:2015 registration.



West Yorkshire Steel Ltd
Sandbeck Industrial Estate,
Wetherby, Leeds,
LS22 7DN UK

Call: 01937 584440
Fax: 01937 580128
Email: sales@westyorkssteel.com



QUOTE ME



Information provided on our datasheets has been drawn from various recognised sources, including British, European and International Standards, recognised industry references (printed & online) and manufacturers' data. No guarantee is given that the information is from the latest issue of those sources or about the accuracy of those sources. Material supplied by the Company may vary significantly from this data but will conform to all relevant and applicable standards. Any of the products detailed may be used for a large range of purposes and as WYS has no control over their use; WYS specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or fitness for any particular purpose, whether expressed or implied. © West Yorkshire Steel Ltd. All Rights Reserved.