

BS970 Steel Specifications and Grades

BS970 steel suppliers and stockholders delivering to the whole of the UK. West Yorkshire Steel are suppliers of BS970 specifications in round bar, flat bar and steel plate. BS970 steel grades are commonly carbon and alloy steels which can be heat treated to achieve a wide range of tensile strengths and mechanical properties. Some stainless steel specifications are also referenced in BS970. Although still commonly produced to BS970 designations most carbon and alloy grades have officially been superseded by new BS EN steel standards such as BS EN 10083, BS EN 10088 and BS EN 10277. If you do not find the BS970 specification you require on our web site please contact our sales team who may be able to assist you with your enquiry

Form of Supply

Form of Supply West Yorkshire Steel are stockholders and suppliers of British Standard 970 steel specifications in round bar, flat bar and cut plate. Diameters in BS970 grades are available as bright drawn and black hot rolled bar. Grades can be supplied to your required lengths as one offs or multiple cut pieces. Diameters can be supplied precision ground to tight tolerances.



Contact our experienced sales team who will assist you with your enquiry.

- Flat
- Plate
- Diameter
- Sheet

BS970 popular grades we supply

[070M20](#) | [080A15](#) | [080M40](#) | [080M46](#)
[080M50](#) | [070M55](#) | [535A99](#) | [251A58](#)
[605M36](#) | [708M40](#) | [709M40](#) | [817M40](#)
[826M40](#) | [655M13](#) | [722M24](#) | [905M39](#)
[735A50](#) | [835M30](#)

Understanding BS970 designations

In general terms the specification name given to each BS970 grade can provide an indication of the type of steel and in some grades limited detail of the composition. Most BS970 specifications are made up of six characters with the first 3 digits giving guidance to the steel type and indicate the following,

000-299	Carbon manganese steel grades
200-240	Carbon manganese free cutting steel grades
250-260	Silicon manganese spring steel grades
300-499	Stainless steel and heat resisting steel grades.
500-999	Alloy steel grades

The 4th character of a BS970 grade is a letter which indicates the following,

A	The steel is supplied to composition only
H	The steel is suitable for heat treatment (though this applies to most specifications)
M	Mechanical properties are available with the steel
S	Stainless steel grades

The last two characters of the grade are 2 numbers that commonly refer to the carbon content of the steel

Limited Ruling Section

BS970 carbon steel and alloy steel specifications can be heat treated to achieve a wide range of mechanical properties. Alloy steel grades are often supplied in the hardened and tempered condition. When heat treating BS970 grades the limited ruling section must be taken in to consideration. The limited ruling section relates to a specific set of mechanical properties achievable after heat treatment with the maximum diameter (or cross section) and steel composition having important bearing on what properties are achievable. Please refer to the source BS970 specification or consult a heat treatment specialist for full guidance on limited ruling section. Typical Mechanical Properties* For guidance only we list below typical mechanical properties achievable when heat treating BS970 specifications. Please refer to the full BS970 specification of each grade for further information.



West Yorkshire Steel Ltd
Sandbeck Works,
Sandbeck Industrial Estate,
Wetherby, Leeds, LS22 7DN

Call: 01937 584440
Email: sales@westyorkssteel.com
www.westyorkssteel.com
 LinkedIn

QUOTE ME



Information provided on our datasheets has been drawn from various recognised sources, including British, European and International Standards, recognised industry references (printed & online) and manufacturers' data. No guarantee is given that the information is from the latest issue of those sources or about the accuracy of those sources. Material supplied by the Company may vary significantly from this data but will conform to all relevant and applicable standards. Any of the products detailed may be used for a large range of purposes and as WYS has no control over their use; WYS specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or fitness for any particular purpose, whether expressed or implied. © West Yorkshire Steel Ltd. All Rights Reserved.

BS970 Mechanical Properties

Condition	Tensile N/mm ²	Yield N/mm ²	Elongation %	Izod KCV J	Hardness Brinell
P	550/700	340	20	28	152/207
Q	625/775	400	18	28	179/227
R	700/850	480	16	28	201/255
S	775/925	525	14	16	223/277
T	850/1000	650	13	35	248/302
U	925/1000	755	12	42	269/331
V	1000/1150	850	12	42	293/352
W	1075/1225	940	11	35	311/375
X	1150/1300	1020	10	28	341/401
Y	1225/1375	1095	10	21	363/429
Z	1550	1235	5	9	444

(*subject to ruling section and specification)



West Yorkshire Steel Ltd
 Sandbeck Works,
 Sandbeck Industrial Estate,
 Wetherby, Leeds, LS22 7DN

Call: 01937 584440
 Email: sales@westyorkssteel.com
www.westyorkssteel.com
 LinkedIn

QUOTE ME



Information provided on our datasheets has been drawn from various recognised sources, including British, European and International Standards, recognised industry references (printed & online) and manufacturers' data. No guarantee is given that the information is from the latest issue of those sources or about the accuracy of those sources. Material supplied by the Company may vary significantly from this data but will conform to all relevant and applicable standards. Any of the products detailed may be used for a large range of purposes and as WYS has no control over their use; WYS specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or fitness for any particular purpose, whether expressed or implied. © West Yorkshire Steel Ltd. All Rights Reserved.